ACTION
DIST.
BENJAMIN. A.
BERMAN, H.S

BRADY, J.A.

COPP, R.D. CORDOVA, R.C DAVIS, J.G.

BRANCH D.B. CARNIVAL, G.J

EVERED. J.E.
FERRERA, D.W.
GOODWIN, R.
HANNI, B.J.

HEALY, T.J. HILBIG. J.G.

DEKER, E.H

KUESTER, A.W.

KRIEG. D.

MARX, G.E. MORGAN, R.V PIZZUTO, V.M

POTTER, G.L. SANDLIN, N.B

SHEPLER, R. L. SULLIVAN, M.T.

Cucai

Fryback

WANSON, E.R MAN, K.G.

JINSON, R.B WILSON, J.M.

D

SATTERWHITE, D.C.

morandum

Jun 22 3 07 PH '92

ROCKY FLATS PLANT

CORRESPONDENCE CONTROL

Rocky Flats Office

000019674

JUN 1 9 1992

WMED:JPS:6590

Water Treatment Sludge Isotopic Analysis

J. M. Kersh, Associate General Manager Environmental and Waste Management EG&G Rocky Flats Inc.

Reference: EG&G Rocky Flats letter, (91)-RF-6132, Analysis of Waste Treatment Sludge -RVM-127-92, dated June 2, 1992.

The referenced letter states that measurements of gross alpha activity in samples of sludge from the raw water treatment plant are in excess of the 40 pCi/gm limit for landfill disposal imposed by the state. This letter also states that further isotopic analysis will be performed on the sludge to determine if this radioactivity is the result of naturally occurring radiation or U.S. Department of Energy activities.

Please provide the date that this isotopic analysis will be complete and the resulting data will be provided to the Rocky Flats Office (RFO). It is anticipated EG&G will be able to complete these actions by July 31, 1992.

If you have any questions please call me or John Schneider of my staff at extension 5924.

Thomas E. Lukow, Director

Non fahour

Waste Management and Environment Division

CORRES CONTROL X X TRAFFIC

Reviewed for Addressee
Corres. Control RFP

DATE BY

טאוב טו

ול מי ביי מיים ביים ביים

'Ltr.#

CC

T. Lukow, WMED, RFO J. Wienand, WOB, RFO

J. Schneider, WOB, RFO

A. Benjamin, EG&G

J. Ciucci, EG&G

DOCUMENT CLASSIFICATION REVIEW VISITER PER CLASSIFICATION OFFICE